THE JOURNAL

OF

BIOLOGICAL CHEMISTRY

FOUNDED BY CHRISTIAN A. HERTER AND SUSTAINED IN PART BY THE CHRISTIAN A. HERTER MEMORIAL FUND

EDITED FOR THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS

EDITORIAL BOARD

RUDOLPH J. ANDERSON
W. MANSFIELD CLARK
HANS T. CLARKE
CARL F. CORI
EDWARD A. DOISY
A. BAIRD HASTINGS
HOWARD B. LEWIS
ELMER V. McCOLLUM
WILLIAM C. ROSE
WILLIAM C. STADIE
DONALD D. VAN SLYKE
HUBERT B. VICKERY

VOLUME 155
BALTIMORE
1944

COPYRIGHT, 1944
BY
THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS, INC.

PUBLISHED AT YALE UNIVERSITY FOR
THE AMERICAN SOCIETY OF BIOLOGICAL CHEMISTS, INC.
WAVERLY PRESS, INC.
BALTIMORE 2, U. S. A.

Medical
Coll.

CONTENTS OF VOLUME 155

No. 1, September, 1944

PAGE

Greene, R. D., and Black, Archie. The microbiological assay of tryptophane in proteins and foods 1

Chu, Edith Ju-Hwa, and Williams, Roger J. A reported growth stimulant for *Lactobacillus casei* 9

Entenman, C., Taurog, Alvin, and Chaikoff, I. L. The determination of choline in phospholipids 13

Taurog, Alvin, Entenman, C., Fries, B. A., and Chaikoff, I. L. An adsorption procedure for the separation of choline-containing from non-choline-containing phospholipids of liver 19

Karel, Leonard, and Chapman, C. W. The effect of vitamin C on the determination of sulfanilamide 27

Morehouse, Margaret Gulick. Studies on ketosis. XXIII. The metabolism of isotopic tributyrin and partially hydrogenated linseed oil 33

Binkley, Francis. Cleavage of cystathionine by an enzyme system from rat liver 39

Li, Choh Hao. Studies on pituitary lactogenic hormone. X. The effect of a detergent 45

Horning, Marjorie G., and Eckstein, H. C. The influence of supplementary casein, cystine, and methionine on liver lipid content of adult rats 49

Lipmann, Fritz. Enzymatic synthesis of acetyl phosphate 55

Lowry, Oliver H., and Bessey, Otto A. A method for the determination of five-tenths to two millimicrograms of riboflavin 71

Scrimshaw, Nevin S., and Stewart, Wellington B. Use of the macro fermentation method for thiamine assay 79

Ochoa, Severo. α-Ketoglutaric dehydrogenase of animal tissues 87

Albanese, Anthony A., and Frankston, Jane E. A difference in the metabolism of *l*- and *dl*-tryptophane in the human 101

Hochberg, Melvin, Melnick, Daniel, and Oser, Bernard L. Chemical determination of pyridoxine. Reactions in pure systems 109

Hochberg, Melvin, Melnick, Daniel, and Oser, Bernard L. Chemical determination of pyridoxine in biological materials and pharmaceutical products. The multiple nature of vitamin B_6 119

Hochberg, Melvin, Melnick, Daniel, and Oser, Bernard L. On the stability of pyridoxine 129

Yang, S. C., and Hsu, C. Studies on the utilization of crude *Ricinus* lipase. V. Effect of some salts on the activity of *Ricinus* lipase 137

Weinhouse, Sidney, Medes, Grace, and Floyd, Norman F. Fatty acid metabolism. The mechanism of ketone body synthesis from fatty acids, with isotopic carbon as tracer 143

Sarett, Herbert P., and Cheldelin, Vernon H. The use of *Lactobacillus fermentum* 36 for thiamine assay 153

Christman, A. A., Foster, Phyllis W., and Esterer, Marie B. The allantoin content of blood 161

Hunter, Andrew, and Downs, Clarence E. The measurement of arginase activity 173

SCHWEIGERT, B. S., MCINTIRE, J. M., ELVEHJEM, C. A., and STRONG, F. M. The direct determination of valine and leucine in fresh animal tissues 183
KORNBERG, ARTHUR, DAFT, FLOYD SHELTON, and SEBRELL, W. H. Mechanism of production of vitamin K deficiency in rats by sulfonamides 193
HUSSEIN, A. AZIZ. Respiration in the orange. A study of systems responsible for oxygen uptake 201
HORWITT, BENJAMIN N., DORFMAN, RALPH I., SHIPLEY, REGINALD A., and FISH, WILLIAM R. Metabolism of the steroid hormones. IV. Conversion of desoxycorticosterone to pregnanediol-3(α), 20(α), in man and in the chimpanzee 213
PEPKOWITZ, LEONARD P. Some observations on the photochemical destruction of carotene 219
BURRIS, R. H., and HAAS, ERWIN. The red pigment of leguminous root nodules. 227
STETTEN, DEWITT, JR., and BOXER, GEORGE E. Studies in carbohydrate metabolism. I. The rate of turnover of liver and carcass glycogen studied with the aid of deuterium 231
BOXER, GEORGE E., and STETTEN, DEWITT, JR. Studies in carbohydrate metabolism. II. The glycogenic response to glucose and lactate in the previously fasted rat 237
BLOCH, KONRAD, and RITTENBERG, D. Sources of acetic acid in the animal body 243
BLOCH, KONRAD. Some aspects of the metabolism of leucine and valine 255
PAPPENHEIMER, ALWIN M., JR., and SHASKAN, ELEANOR. Effect of iron on carbohydrate metabolism of *Clostridium welchii* 265
BROWN, W. L. The determination of phenylalanine in proteins 277
NOVAK, LEO J., and BERGEIM, OLAF. Water-soluble vitamins in hair as influenced by diet 283
ALBANESE, ANTHONY A. Colorimetric estimation of phenylalanine in some biological products 291
REID, DELLA F., LEPKOVSKY, SAMUEL, BONNER, DAVID, and TATUM, E. L. The intermediary metabolism of tryptophane in pyridoxine-deficient rats 299
BUCHER, GLADYS R., FLYNN, JOSEPH C., and ROBINSON, C. S. The action of the human small intestine in altering the composition of physiological saline ... 305
WRIGHT, C. I., and SABINE, JEAN C. The effect of atabrine on the oxygen consumption of tissues 315
HAAS, ERWIN. The effect of atabrine and quinine on isolated respiratory enzymes 321
HAAS, ERWIN. A colorimetric determination for studies involving coenzymes. Microdetermination of glucose-6-phosphate 333
VAN WAGTENDONK, WILLEM J. A dietary factor essential for guinea pigs. III. Changes in the distribution of acid-soluble phosphorus in the liver and kidneys during deficiency 337
HUFF, JESSE W., and PERLZWEIG, WILLIAM A. A product of oxidative metabolism of pyridoxine, 2-methyl-3-hydroxy-4-carboxy-5-hydroxymethylpyridine (4-pyridoxic acid). I. Isolation from urine, structure, and synthesis 345

Letters to the Editors

GUNSALUS, I. C., and BELLAMY, W. D. A function of pyridoxal 357
DUTCHER, J. D., and WINTERSTEINER, O. The structure of aspergillic acid 359
SHERWOOD, MARION B., and SINGER, EILEEN D. Folic acid in cotton 361

No. 2, October, 1944

Plentl, Albert A., and Page, Irvine H. On the enzymatic specificity of renin. I. The proteinase components of renin preparations and their relation to renin activity 363
Plentl, Albert A., and Page, Irvine H. On the enzymatic specificity of renin. II. The action of crystalline pepsin on pepsitensin and angiotonin. 379
Chargaff, Erwin. The thromboplastic activity of tissue phosphatides 387
Mims, Virginia, Totter, John R., and Day, Paul L. A method for the determination of substances enzymatically convertible to the factor stimulating *Streptococcus lactis* R 401
Baldwin, A. Richard, and Longenecker, Herbert E. Component fatty acids from the fat of cow colostrum 407
Chesler, Annette, and Himwich, Harold E. A comparison of the relationship of lactic acid and pyruvic acid in the normal and diabetic dog 413
Blanchard, M., Green, D. E., Nocito, V., and Ratner, S. *l*-Amino acid oxidase of animal tissue 421
Sullivan, M. X., and Hess, W. C. A study of the various procedures for the estimation of tryptophane 441
Baer, Erich, Rubin, Leon J., and Fischer, Hermann O. L. Naturally occurring glycerol ethers. II. Synthesis of selachyl alcohol 447
Carruthers, Christopher, and Suntzeff, V. Chemical studies on the transformation of mouse epidermis by methylcholanthrene to squamous cell carcinoma 459
Fox, Sidney W., Fling, Marguerite, and Bollenback, G. Norris. Inhibition of bacterial growth by *d*-leucine 465
Sanders, Evelyn, Huddleson, I. Forest, and Schaible, P. J. An electrophoretic study of serum and plasma from normal and leucosis-affected chickens 469
Lan, Tien Ho, and Sealock, Robert Ridgely. The metabolism *in vitro* of tyrosine by liver and kidney tissues of normal and vitamin C-deficient guinea pigs 483
Chargaff, Erwin, and Moore, Dan H. On bacterial glycogen: the isolation from avian tubercle bacilli of a polyglucosan of very high particle weight ... 493
Leonards, Jack R., and Free, Alfred H. The citrate content of the skeleton as influenced by prolonged feeding of acid-producing and base-producing salt. 503
Luecke, R. W., and Pearson, P. B. The determination of free choline in animal tissues 507
Osterberg, Arnold E., and Green, Walter S. Modified electrolytic Gutzeit method for rapid microdetermination of arsenic 513
Craig, Lyman C. Identification of small amounts of organic compounds by distribution studies. II. Separation by counter-current distribution 519
Bergmann, Max, and Tietzman, Josephine E. Transformations of an acyl diketopiperazine 535
Beveridge, J. M. R., and Lucas, Colin C. Amino acids of isinglass 547
Gunsalus, I. C., and Bellamy, W. D. The function of pyridoxine and pyridoxine derivatives in the decarboxylation of tyrosine 557
Jacobs, Walter A., and Craig, Lyman C. The veratrine alkaloids. XXII. On pseudojervine and veratrosine, a companion glycoside in *Veratrum viride* 565

ENTENMAN, C., CHAIKOFF, I. L., and MONTGOMERY, M. LAURENCE. The preparation of fractions from pancreas that prevent fatty livers in depancreatized dogs maintained with insulin 573

KOCHAKIAN, CHARLES D. The effect of castration and various steroids on the arginase activity of the tissues of the mouse 579

DUNN, MAX S., CAMIEN, MERRILL N., ROCKLAND, LOUIS B., SHANKMAN, S., and GOLDBERG, SAMUEL C. Investigations of amino acids, peptides, and proteins. XVII. The determination of glutamic acid in protein hydrolysates by a microbiological method 591

ZIEGLER, JOHN A., and KEEVIL, NORMAN B. Photochemical destruction of riboflavin in milk and losses during processing 605

HEARD, R. D. H., HOFFMAN, M. M., and MACK, G. E. Steroids. VI. The structure of pregnanediol glucuronide from human pregnancy urine 607

HUEBNER, CHARLES FERDINAND, OVERMAN, RALPH S., and LINK, KARL PAUL. The synthesis of pregnanediol 3-β-*d*-glucuronide 615

BRUES, AUSTIN M., TRACY, MARJORIE M., and COHN, WALDO E. Nucleic acids of rat liver and hepatoma: their metabolic turnover in relation to growth 619

BESSEY, OTTO A., and LOWRY, OLIVER H. Factors influencing the riboflavin content of the cornea 635

DU VIGNEAUD, VINCENT, KILMER, GLEN W., RACHELE, JULIAN R., and COHN, MILDRED. On the mechanism of the conversion *in vivo* of methionine to cystine 645

KITZES, GEORGE, ELVEHJEM, C. A., and SCHUETTE, H. A. The determination of blood plasma iron 653

GRANICK, S., and HAHN, P. F. Ferritin. VIII. Speed of uptake of iron by the liver and its conversion to ferritin iron 661

ASHBY, WINIFRED. On the quantitative incidence of carbonic anhydrase in the central nervous system 671

Letters to the Editors

BINKLEY, FRANCIS, WARD, S. M., and HOAGLAND, CHARLES L. Reversible inactivation of the adenosinetriphosphatase activity of myosin preparations with copper and cyanide 681

WALKER, ALBERT C., and SCHMIDT, CARL L. A. Extension of the Thunberg technique for measurement of dehydrogenase activity 683

GUNSALUS, I. C., BELLAMY, W. D., and UMBREIT, W. W. A phosphorylated derivative of pyridoxal as the coenzyme of tyrosine decarboxylase 685

BRIGGS, G. M., JR., LUCKEY, T. D., ELVEHJEM, C. A., and HART, E. B. Studies on methods of increasing folic acid activity in liver fractions and in yeast 687

RATNER, S., BLANCHARD, M., COBURN, ALVIN F., and GREEN, D. E. Isolation of a peptide of *p*-aminobenzoic acid from yeast 689

INDEX TO VOLUME 155 691

SUGGESTIONS TO AUTHORS

The following suggestions are offered to authors for the preparation of manuscripts.

1. Manuscripts should be carefully typed, triple spaced throughout, and only the original typewritten copy should be submitted. Foot-notes, tables, and other inserts should be typed separately and numbered consecutively. The forms of spelling and abbreviations used in current issues of this Journal should be employed and for chemical terms the usage of the American Chemical Society should be followed. Unusual abbreviations or symbols should be avoided.

2. The title of the paper should be as short as is compatible with a clear indication of the subject matter. Chemical formulas should not be included in the title.

3. The introduction should contain a clear statement of the purpose of the investigation and its relation to other work in the same field, but long reviews must be avoided.

4. The experimental description must be brief and clear. When published procedures have been employed, these should not be described but should be defined by citation of the original publications.

5. Reference in the text to chemical compounds should be made by name and not by formula. The use of structural formulas which require special type or take up much space should be avoided.

6. Only in exceptional cases, the urgency of which must be clearly demonstrated, can the same data be published in two forms such as a table and a line figure.

7. On line figures, reference points along the coordinates should be sufficiently frequent to permit accurate estimation of the numerical values of indicated experimental points.

8. Tables should not contain unnecessary columns in which the values are readily deducible from data in the same table. Every table and every column should be supplied with an appropriate heading.

9. Discussions must be brief and restricted to the significance of the results of the investigation. Unsupported hypothesis should be avoided.

10. Every paper should end with a brief, logical summary in which the points proved by the investigation are outlined.

11. The bibliography should conform to the style used in current issues of this Journal: the author's name, initials, abbreviation of journal, volume, page, and year; in the case of books, the title in full, with the place and year of publication, and page. *All bibliographic references should be checked with the original publications.*

12. The preparation of illustrations, charts, and graphs is particularly important, and authors are requested to follow very carefully the directions given below. In case of doubt, the Editorial Office will gladly supply specific information.

Charts should be planned so as to eliminate waste space; they should be ruled off close to the area of the curves, and descriptive matter should not extend beyond the curves; they should be so prepared that they will not be more than 4 inches wide, with no letter or figure less than 2 mm. high, after reduction to page size. Original line drawings on white drawing board, blue tracing cloth, or coordinate paper *printed in blue* should be used. Typewritten charts are not desirable, as they permit but slight reduction. Only black India ink should be used for drawing and lettering. When the subject matter requires half-tone reproduction, the photographs submitted should be printed on white, glossy paper.

If illustrations are larger than manuscript sheet size, *small prints, as well as the original drawings, should be submitted with the manuscript* for the convenience of the Editors.

13. Before a manuscript is submitted to the Editors, it should be carefully checked; the spelling of proper names and the correctness of analytical data, as well as figures in tables or in the text, should be carefully verified by the author.

14. Any but minor changes from the manuscript which are made in proof will be billed to the author.

Special Notice to Contributors

In the course of scientific investigations it occasionally becomes desirable to publish important findings with a minimum of delay. A vehicle for such publication is now to be made available to biochemical research workers in the form of *Letters to the Editors* of this Journal. It is proposed to accept for prompt publication short reports which occupy not more than two Journal pages (equivalent to a total of not over 500 words) of discoveries which may be expected to have an immediate effect on the progress of the science. Such reports, which may relate to an isolated portion of a more extended investigation, should contain in outline form sufficient experimental information to establish the conclusions drawn.

Manuscripts of Letters to the Editors must reach the Editors not later than the 18th of the month preceding publication.

It is requested that authors state the number of reprints to be ordered when submitting Letters to the Editors; 50 reprints will be supplied gratis.

THE ANTIGONADOTROPIC FACTOR

with consideration of the Antihormone Problem

By BERNARD ZONDEK and FELIX SULMAN

Hormone Research Laboratory, Hebrew University, Jerusalem

The new monograph presents the contributions of one of the most original investigators, in the field of endocrinology, towards the elucidation of the antihormone problem.

Dr. Zondek and his collaborator give first place to the antigonadotropic factor with which their studies were primarily concerned. Because consideration of the factor is possible only against the general background of the problem, the entire antihormone literature is reviewed and evaluated.

The authors contend that the antigonadotropic factor represents a new type of blood substance that is closely related to the immune bodies but lacks the visible in-vitro reactions which ordinarily characterize an anti-body. They conclude that the antigonadotropic substances in any case are not "hormones with reverse properties."

CONTENTS

Historical Review

The Antihormone Theory of Collip

The Antigonadotropic Factor. Conditions of production; titration and standardization; preparation; properties; the gonadotropin-antigonadotropin reaction; the pro-gonadotropic factor; anatomical changes associated with presence of antigonadotropic factor.

Clinical Significance of the "Antihormone" Inhibitory factors to hormones of other than antipituitary origin; inhibitory factors to hormones of the anterior pituitary lobe; occurrence of antigonadotropic factor in the treated organism; the significance of "antihormone" formation for gonadotropin therapy; animal experiments on therapy with "antihormones"; diagnostic value of the antigonadotropic factor.

Mechanism of the Antigonadotropic Reaction

193 pages *23 tables* $

THE WILLIAMS & WILKINS COMPANY, BALTIMORE, MD.